



# भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3 उपखण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 44] नई दिल्ली, शनिवार, मार्च 6, 1965/फाल्गुन 15, 1886

No. 44] NEW DELHI, SATURDAY, MARCH 6, 1965/PHALGUNA 15 1886

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed  
as a separate compilation

MINISTRY OF STEEL AND MINES

(Department of Iron & Steel)

NOTIFICATION

*New Delhi, the 6th March 1965*

**S.O. 770.—PRI/84/N/ESS.COMM/Iron and Steel/15(1)-27(1).**—The following notification issued by the Iron and Steel Controller under Sub-Clause (1) of Clause 15 of the Iron and Steel (Control) Order, 1956 is hereby published for general information:

“NOTIFICATION

In exercise of the powers conferred by Sub-Clause (1) of Clauses 15 and 27 of the Iron and Steel Control (Order), 1956 as amended from time to time and with the approval of the Central Government, the Iron and Steel Controller notifies the following amendment to the selling prices of Schedule No. IV, Prime quality Steel and Semis and Schedule V—Part IA (Fresh unused defectives) published under Ministry of Steel and Heavy Industries, New Delhi Notification No. S.O. 731/ESS.COMM/Iron and Steel/64 dated 29th February 1964 in Part II Section 3(ii) of the Gazette of India Extraordinary dated 1st March 1964 as amended from time to time.

**SCHEDULE No. IV**  
**Prime Quality Steel and Semis.**

S. No.	Materials	Maximum Base price at all railhead stations in India					
		Col. I		Col. II		Col. III	
		For sales by Regd. Producers		For sales by Controlled stock- holders		For sales by all persons other than Regd. Pro- ducers and con- trolled stock- holders.	
		Un- tested	Tested	Un- tested	Tested	Un- tested	Tested
1	Billets upto 125 mm . . . . .	535	565	575	615	590	630
2	Tin Bars . . . . .	..	580	..	..	..	..
3	Skelp thickness 3·15 mm to 2·00 mm . . . . .	836	881	876	931	891	946
4	Black sheets thickness 3·15 to 2·0 mm . . . . .	872	917	912	967	927	982
5	Galvanised Corrugated sheets thickness 0·63mm length 1·8 M/3·05 M. . . . .	1130	1175	1170	1225	1185	1240
6	Plates 10 mm and up . . . . .	777	822	817	872	832	887
7	Hot rolled strips or B.P. sheets in coils thickness 3·15 mm to 2·0 mm . . . . .	826	871	866	921	881	936
8	Cold Rolled strips in coils-thickness 3·15 mm to 2·0 mm . . . . .	991	1036	1031	1086	1046	1101
9	Cold Rolled sheets thickness 3·15 mm to 2·0 mm . . . . .	1031	1076	1071	1126	1086	1141
10	Baling Hoops in Coils over 30 M in length :						
	(a) Cotton Baling Hoops 20 mm × 1·1/1·0 mm . . . . .	1031	..	1071	..	1086	..
	(b) Jute Baling Hoops 25 mm mm × 1·6 mm ·00 mm . . . . .	955	..	995	..	110	..
	(c) Coir Baling Hoops 20 mm mm × 1·1/1·00 mm . . . . .	1129	..	1169	..	1184	..

## (E) SCHEDULE No. V

## Part I—A (Fresh Unused Defectives)

S. No.	Description or Classification of materials	Maximum basic prices per metric tonnes at all rail head stations in India in Rupees per metric tonne.		
		Col. I	Col. II	Col. III
		For sales by Controlled sources other than those mentioned in Col. II	For sales by scrap Merchants who have been declared controlled sources	For sales by all persons other than those mentioned in Col. I & II
1	Billets Defective or rejected upto 125 mm . . . . .	510	550	565
2	Skelp—Defective or rejected 3.15 mm to 2.00 mm—Base . . . . .	826	866	881
3	Black sheets—Defective or rejected and cut down over 610 mm width and not below 1.22 M in length 3.2 to 2.0 mm—Base . . . . .	862	902	917
4	Galvanised Corrugated sheets Defectives or rejected and spotted—Full size 0.63 mm gauge—Base . . . . .	1120	1160	1175
5	Plates—Defective or rejected 10 mm and up thick 750 mm and above in width, 1500 mm and above in length—Base . . . . .	767	807	822
6	Hot Rolled strips or B.P. Sheets in coils—defective or rejected 3.15 mm to 2.00 mm—Base . . . . .	816	856	871
7	Cold rolled strips in coils—defective or rejected 3.15 mm to 2.00 mm—Base . . . . .	980	1020	1035
8	Cold Rolled Sheets—Defective or rejected and cut down over 610 mm width and not below 1.22 M in length, 3.15 mm to 2.0 mm . . . . .	1020	1060	1075
9	Baling Hoops in Coils :			
	(a) Cotton Baling Hoops . . . . .	1021	1061	1076
	(b) Jute Baling Hoops . . . . .	945	985	1000
	(c) Coir Baling Hoops . . . . .	1119	1159	1174

The general and special conditions of sale will remain the same as before.

This amendment shall take effect from the date of its publication in the Gazette of India.

(Sd.) NAGENDRA BAHADUR,  
Iron and Steel Controller".

[No. SC(C)-2(9)/65.]

A. N. RAJAGOPALAN, Under Secy.

